

**Notice of Allowability**

Application No.

10/771,976

Examiner

Kathryn S. O'Malley

Applicant(s)

EDWARDS, JONATHAN G.

Art Unit

3749

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to all papers received on or before 2/5/04.
2. ☒ The allowed claim(s) is/are 1.
3. ☒ The drawings filed on 05 February 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
  1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.


**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 2/5/04
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material

5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
Ira S. Lazarus  
Supervisory Patent Examiner  
Group 3700

## **DETAILED ACTION**

### ***Allowable Subject Matter***

1. Claim 1 is allowed.
2. The following is an examiner's statement of reasons for allowance: the art of record, when considered alone or in combination, does not anticipate nor render obvious the claimed invention of a drying cabinet having a set of air-dispensing nozzles mounted onto the back and both sides of the drying cabinet wherein each nozzle has a pivot connection and an air deflector and is connected to an air manifold located outside the drying cabinet in the orientation presently claimed. The most relevant prior art of record is US Patent 6,047,416 to Carrier. Carrier comprises a similar drying cabinet comprising several sets of air-dispensing nozzles. However, the nozzles are not mounted to the walls of the cabinet; the air manifolds are inside the cabinet, not outside; and the nozzles do not have a pivot connection. A similarly relevant prior art document is US Patent 5,468,234 to Griffin et al. The nozzles of Griffin are mounted on the interior surface of the cabinet with the air manifold being placed outside. However, the nozzles dispense water, not air; there are not a third set of nozzles or manifold; and the sets of nozzles are not mounted on the side and rear face of the cabinet as claimed in the present application.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 3749

**Conclusion**


3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Knapp et al., Binachi, Sealby et al., Kaiser, Daniel, and Lowry et al. teach similar cabinets with nozzle arrangements.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kathryn S. O'Malley whose telephone number is (703)308-2844. The examiner can normally be reached on M-F (8:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ira Lazarus can be reached on (703)308-1935. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KSO

  
Ira S. Lazarus  
Supervisory Patent Examiner  
Group 3700